

## SUBJECT INDEX

*b* = Book review; *L* = Letter to the Editor; *sc* = Short Communication

**PII: S0003-4878(98)00072-6**

- Abrasive blasting respirators, performance 61-62<sup>L</sup>
- Absorption, percutaneous, from physicochemical data, prediction 267-276
- Acidic pH, *in-vitro* fibre dissolution rate, measurement 233-243
- Aerosol exposures, health-relevant, of primary lead smelter workers, assessment of particle size distributions 73-80
- Aerosol generation, whole-body exposure chamber for human skin and lung challenge experiments, generation of wheat flour aerosols 541-547
- Aerosol samplers for conventional CEN thoracic fraction 453-465
- Air cleaners, measurement of performance against particulate element of rosin-based solder flux fume 511-519
- Air movement in indoor workplaces 303-313
- Airborne fibre number concentrations, determination, recommended method by phase-contact optical microscopy (membrane filter method) 146<sup>b</sup>
- Airborne microorganisms, computer simulation study on counting error due to masking effect 501-510
- Alumina and primary aluminium industry, exposures, historical review 173-189
- Amsacrine, chemical degradation of wastes 259-266
- Anti-vibration gloves, assessing performance, possible alternative to ISO 10819, 1996 245-252
- Asbestos
  - in buildings, control and management, system of local rules 67-68<sup>b</sup>
  - measurement, historic, comparison of methods 21-31
- Asbestos fibre counting schemes, national versus international, PICC-FA v. AFRICA 97-104
- Asbestos textiles mystery: unfinished business 3-5
- Asbestos workers, does risk perception affect behaviour and exposure 565-569<sup>sc</sup>
- Asparaginase, chemical degradation of wastes 259-266
- Asthma, occupational, mechanisms induced by isocyanates 33-36
- Azathioprine, chemical degradation of wastes 259-266
  
- Back discomfort, prevalence, and estimates of back load in two manufacturing facilities 549-556
- Behaviour of asbestos workers, and risk perception 565-569<sup>sc</sup>
- Bioaerosol colony counting error due to masking effect, computer simulation study 501-510
  
- Biological monitoring in the workplace, guide to its practical application to chemical exposure 286<sup>b</sup>
- Blasting respirators, abrasive, performance 61-62<sup>L</sup>
- Blood-borne infections, occupational 353<sup>b</sup>
- Breathing apparatus or respirator as adequate respiratory protective device, choice between 91-95
  
- Carbon-electrode manufacturing plant, monitoring occupational exposure to polycyclic aromatic hydrocarbons 105-114
- Carcinogenicity
  - of quartz 287-294
  - surface chemistry and quartz hazard 521-530
- Carcinogens, environment, non-threshold, standards, comparison of approaches used for radiation and chemicals 315-323
- CATHIA-T static sampler 453-465
- Chemical Industries Association guidance on allocating occupational exposure bands 407-411
- Chemical(s)
  - biological monitoring in the workplace, guide to its practical application 286<sup>b</sup>
  - control strategies, occupational hygiene considerations in the development of a structured approach to select 391-400
  - degradation of wastes of antineoplastic agents amsacrine, azathioprine, asparaginase and thiopeta 259-266
  - hairdresser salons, effect of local exhaust ventilation 277-281
  - health risks, control, new UK scheme to help small firms 367-376
  - toxicological considerations 377-390
  - percutaneous absorption, prediction 267-276
  - standards for environmental, non-threshold, carcinogens 315-323
  - workplace, biological monitoring 145<sup>b</sup>
- Chloramines, exposure in green salad processing plant 437-451
- 3-Chloroprene, risk assessment document EH72/4 285-286<sup>b</sup>
- Chrysotile miners and millers, dust exposure and lung cancer, Quebec 7-20
- CIP10-T personal thoracic sampler and its static version CATHIA-T 453-465
- Coal tar pitch volatiles in air, development of improved method for determination 45-59
- Computer simulation study on bioaerosol colony counting error due to masking effect 501-510
- Control of Substances Hazardous to Health Regulations 1994 (COSHH), new UK scheme to help small firms 367-376
- Cotton dust, two personal sampling heads compared 253-258
- Crystalline silica *see* Quartz

## Subject Index

- Cyanoacrylates, airborne, measurement 489-499
- Dermal exposure, fluorescent tracer technique in greenhouse exposure studies 467-475
- Dermal uptake of solvents from the vapour phase 531-540
- 1,2-Diaminoethane (ethylenediamine (EDA)), risk assessment document EH/72/7 283<sup>b</sup>
- Diesel emissions, health effects 63<sup>L</sup>, 65-66<sup>L</sup>
- Diethylamine emission from military gas mask canisters, assessment 325-330
- Dimethyl sulphate and diethyl sulphate in air, determination by thermal desorption gas chromatography-mass spectrometry 201-207
- Dust exposure and lung cancer in Quebec chrysotile miners and millers 7-20
- Dust-protective respirator mask, effect on urinary 1-hydroxypyrene concentration in PAH-exposed electrode paste plant workers 135-144
- Electrode paste plant workers, effect of dust-protective respirator mask on urinary 1-hydroxypyrene concentration 135-144
- Epidemiology, toxicology, occupational hygiene: the three solitudes 147-149
- Ergonomic judgment of prevalence of back discomfort and estimates of back load in two manufacturing facilities 549-556
- Erratum 69
- Ethylenediamine (EDA), risk assessment document EH/72/7 283<sup>b</sup>
- Exposure
- alumina and primary aluminium industry, historical review 173-189
  - assessment method, log-normal distribution-based, for unbalanced data 413-417<sup>L</sup>, 417-420<sup>L</sup>, 420-421<sup>L</sup>, 421-422<sup>L</sup>
  - bands, occupational, allocating, Chemical Industries Association guidance 407-411
  - chamber, whole-body, for human skin and lung challenge experiments, generation of wheat flour aerosols 541-547
  - limits
    - dawn of something better? 355-356
    - occupational, industry's perception and use 357-366
  - magnetic field, personal, factors influencing, power utility and office workers, preliminary results 167-171
  - occupational
    - individual- and group-based assessment, some equations to evaluate different strategies 115-119
    - through spraying remedial pesticides 159-165
    - to polycyclic aromatic hydrocarbons, carbon-electrode manufacturing plant, monitoring 105-114
    - and risk estimation for pesticides in high-volume spraying 151-157
    - workplace, to rosin-based solder flux fume during hand soldering 295-302
- Fe<sup>3+</sup> release higher in surfactant coated than native fibres 337-345
- Fibre dissolution rate, *in-vitro*, at acidic pH, measurement 233-243
- Fibres, respirable, surfactant coated fibres release more Fe<sup>3+</sup> than native fibres at both pH 4.5 and 7.2 337-345
- Filtering extraction units, free-standing, used in woodworking industry, measurement of performance 423-436
- Fluorescent tracer technique in greenhouse exposure studies, implementation and evaluation 467-475
- Free silica, determination in set of toners 219-220<sup>sc</sup>
- Free-standing filtering extraction units used in woodworking industry, measurement of performance 423-436
- 2-Furaldehyde, risk assessment document EH72/6 285-286<sup>b</sup>
- Gas mask canisters, military, triethylamine and diethylamine emission, assessment 325-330
- Green salad processing plant, exposure to chloramines 437-451
- Greenhouse exposure studies
- implementation and evaluation of fluorescent tracer technique 467-475
  - see also* Green salad processing plant
  - Growth and improvement 1
- Hairdresser salons, chemical exposure, effect of local exhaust ventilation 277-281
- Hand-arm vibration, assessing performance of anti-vibration gloves 245-252
- Hand-arm vibration injury, practical ways to reduce risk 145-146<sup>b</sup>
- Hand soldering, rosin-based solder flux fume during, workplace exposure 295-302
- Heating of hot melt adhesives, composition of products evolved during 37-44
- Historic asbestos measurement, comparison of methods 21-31
- Hot melt adhesives, heating, composition of products evolved during 37-44
- Howie, Robin, President, The British Occupational Hygiene Society 1997-1998 71-72
- Hypochlorite causing respiratory irritation in green salad processing plant 437-451
- Improvement and growth 1
- In-vitro* fibre dissolution rate at acidic pH, measurement 233-243
- Information needs of workers 401-406
- Inhalation, short- and long-term, man-made vitreous fibres, biopersistence and pathogenicity after 191-199
- Isocyanates, inducing occupational asthma, mechanisms 33-36
- Lead smelter workers, assessment of particle size distributions of health-relevant aerosol exposures 73-80
- Log-normal distribution-based exposure assessment method for unbalanced data 413-417<sup>L</sup>, 417-420<sup>L</sup>, 420-421<sup>L</sup>, 421-422<sup>L</sup>
- Lung cancer, and dust exposure, Quebec chrysotile miners and millers 7-20
- Lung challenge experiments, whole-body exposure chamber, wheat flour aerosols 541-547

## Subject Index

- Magnetic field exposure, personal, factors influencing, power utility and office workers, preliminary results 167-171
- Magnetic fields on British trains 331-335
- Man-made vitreous fibres
  - biopersistence and pathogenicity after short- and long-term inhalation 191-199
  - measurement of *in-vitro* fibre dissolution rate at acidic pH 233-243
- Manual materials handling, guide, second edition 67<sup>b</sup>
- Masking effect causing bioaerosol colony counting error, computer simulation study 501-510
- Materials handling, manual, guide, second edition 67<sup>b</sup>
- Membrane filter-phase contrast microscopy method, comparison of historic asbestos measurements using thermal precipitator 21-31
- Mercury, inorganic, smelter works of Abbadia San Salvatore, Italy, historical exposure 81-90
- Military gas mask canisters, triethylamine and diethylamine emission, assessment 325-330
- Millers, chrysotile, dust exposure and lung cancer, Quebec 7-20
- Mineral dusts, review of screening and surveillance of exposed workers 353-354<sup>b</sup>
- Miners, chrysotile, dust exposure and lung cancer, Quebec 7-20
  
- Nicotine, measurement and analysis in indoor air to indicate passive smoking 129-134
- Non-ionising radiation 221-222<sup>b</sup>
- Norway, quartz exposure in the slate industry 557-563
  
- Occupational asthma, mechanisms induced by isocyanates 33-36
- Occupational blood-borne infections 353<sup>b</sup>
- Occupational cancer epidemiology, quantitative risk assessments derived from, worked example 347-352<sup>sc</sup>
- Occupational exposure bands, allocating, Chemical Industries Association guidance 407-411
- Occupational exposure limits *see* Exposure
- Occupational hygiene, epidemiology, toxicology: the three solitudes 147-149
- Occupational hygiene considerations in the development of a structured approach to select chemical control strategies 391-400
- Office workers, factors influencing personal magnetic field exposure 167-171
  
- Particle size distributions of health-relevant aerosol exposures of primary lead smelter workers, assessment 73-80
- Particulate surface contamination, monitoring, comparison of methods 477-488
- Passive smoking, measurement and analysis of nicotine and other VOCs in indoor air as indicator 129-134
- Percutaneous absorption from physicochemical data, prediction 267-276
- Personal magnetic field exposure, factors influencing, power utility and office workers, preliminary results 167-171
- Pesticides
  - in high-volume spraying, exposure and risk estimation 151-157
  - remedial, spraying, occupational exposure 159-165
- Phenylhydrazine, risk assessment document EH72/1 284<sup>b</sup>
- Photocopying, exposure to crystalline silica in toners 219-220<sup>sc</sup>
- Physicochemical data, percutaneous absorption, prediction 267-276
- Polycyclic aromatic hydrocarbons
  - carbon-electrode manufacturing plant, monitoring occupational exposure 105-114
  - effect of dust-protective respirator mask on urinary 1-hydroxypyrene concentration 135-144
- Pottery industry, development of exposure matrix for respirable crystalline silica 209-217
- Power utility workers, factors influencing personal magnetic field exposure 167-171
- Primary lead smelter workers, assessment of particle size distributions of health-relevant aerosol exposures 73-80
  
- Quantitative risk assessments derived from occupational cancer epidemiology, worked example 347-352<sup>sc</sup>
- Quartz
  - determination in set of toners 219-220<sup>sc</sup>
  - exposure, slate industry, Northern Norway 557-563
  - hazard
    - and surface chemistry 521-530
    - variable entity 287-294
  - respirable, development of exposure matrix, pottery industry 209-217
- Quebec chrysotile miners and millers, dust exposure and lung cancer 7-20
  
- Radiation
  - natural, high levels, radiation dose and health effects 222<sup>b</sup>
  - non-ionising 221-222<sup>b</sup>
  - standards for environmental, non-threshold, carcinogens 315-323
- Respirable fibres, surfactant coated fibres release more Fe<sup>3+</sup> than native fibres at both pH 4.5 and 7.2 337-345
- Respirator mask, dust-protective, effect on urinary 1-hydroxypyrene concentration in PAH-exposed electrode paste plant workers 135-144
- Respirators, abrasive blasting, performance 61-62<sup>L</sup>
- Respiratory irritation caused by chloramines in green salad processing plant 437-451
- Respiratory protective device, adequate, selecting, choice between respiratory and breathing apparatus 91-95
- Risk assessment 223-224
  - facts, fallacies and fears, public and health professionals at odds 227-232
- Risk estimation, exposure for pesticides in high-volume spraying 151-157
- Risk perception amongst asbestos workers, effect on behaviour and exposure 565-569<sup>sc</sup>
- Roach, Stan, S.A. Roach: an appreciation 225-226

## Subject Index

- Rosin-based solder flux fume
  - during hand soldering, workplace exposure 295–302
  - particulate element, measurement of performance of air cleaners 511–519
- Safety representatives and information needs of workers 401–406
- Siderosilicosis, after crystalline silica exposure in toners 219–220<sup>sc</sup>
- Silicosis and quartz exposure in slate industry, Northern Norway 557–563
- Skin challenge experiments
  - whole-body exposure chamber, wheat flour aerosols 541–547
  - see also* Dermal
- Slate industry, Northern Norway, quartz exposure 557–563
- Small firms
  - new UK scheme to help control health risks from chemicals 367–376
  - structured approach to select chemical control strategies 391–400
  - toxicological considerations 377–390
- Smelter workers, primary lead, assessment of particle size distributions of health-relevant aerosol exposures 73–80
- Smelter works, Abbadia San Salvatore, Italy, historical exposure to inorganic mercury 81–90
- Solder flux fume, rosin-based
  - during hand soldering, workplace exposure 295–302
  - particulate element, measurement of performance of air cleaners 511–519
- Soldering, hand, rosin-based solder flux fume during, workplace exposure 295–302
- Solid particulate surface contamination in the workplace, monitoring, comparison of methods 477–488
- Spanish Interlaboratory Quality Control Programme, national versus international asbestos fibre counting schemes 97–104
- Spraying
  - high-volume, pesticides, exposure and risk estimation 151–157
  - remedial pesticides, occupational exposure 159–165
- Surface chemistry and quartz hazard 521–530
- Surfactant coated fibres release more Fe<sup>3+</sup> than native fibres at both pH 4.5 and 7.2 337–345
- Temporary threshold shift of vibration perception threshold following short duration exposure to vibration 121–127
- Tenax sampling tube in measurement of airborne cyanoacrylates 489–499
- Thermal desorption gas chromatography-mass spectrometry to determine dimethyl sulphate and diethyl sulphate in air 201–207
- Thermal precipitator with membrane filter-phase contrast microscopy method, comparison of historic asbestos measurements using 21–31
- Thiotepa, chemical degradation of wastes 259–266
- Thoracic CIP10-T personal sampler and its static version CATHIA-T 453–465
- Threshold shift, temporary, of vibration perception threshold following short duration exposure to vibration 121–127
- Toners, determination of free silica 219–220<sup>sc</sup>
- Toxicological hazards, UK scheme to help small firms control health risks from chemicals 367–376
- Toxicology, epidemiology, occupational hygiene: the three solitudes 147–149
- Trains, British, magnetic fields 331–335
- Triethylamine emission from military gas mask canisters, assessment 325–330
- Unbalanced data, log-normal distribution-based exposure assessment method 413–417<sup>L</sup>, 417–420<sup>L</sup>, 420–421<sup>L</sup>, 421–422<sup>L</sup>
- Vapour phase, solvents, dermal uptake 531–540
- Vibration perception threshold, temporary threshold shift following short duration exposure to vibration 121–127
- Volatile organic compounds, and nicotine, measurement and analysis in indoor air to indicate passive smoking 129–134
- Wheat flour aerosols, whole-body exposure chamber for human skin and lung challenge experiments 541–547
- Wind speeds in indoor workplaces, survey 303–313
- Woodworking industry, free-standing filtering extraction units, measurement of performance 423–436
- Workers, information needs 401–406
- Workplace
  - indoor, wind speeds, survey 303–313
  - Vol 1 Fundamentals of health, safety and welfare. Vol 2 Major industries and occupations 571<sup>b</sup>

# AUTHOR INDEX

*b* = Book Review; *L* = Letter; *sc* = Short Communication

## PII: S0003-4878(98)00073-8

- Aalto, A. 284<sup>b</sup>  
 Abramson, M. 173  
 Ackermans, H. 219  
 Andre, J.C. 437  
 Aprea, C. 267  
 Arroyo, M.C. 97  
 Aubert, S. 437
- Baan, R.A. 105  
 Baldwin, P.E.J. 303  
 Bang, B.E. 557  
 Barek, J. 259  
 Beck, J. 353<sup>b</sup>  
 Bellander, T. 81  
 Benke, G. 173  
 Bentsen, R.K. 135  
 Beswick, P.H. 337  
 Bierman, E.P.B. 467  
 Boffetta, P. 81  
 Bootland, J. 73  
 Borm, P.J.A. 287  
 Bos, P.M.J. 285<sup>b</sup>  
 Brooke, I. 367, 531  
 Brooke, I.M. 377  
 Brouwer, D.H. 151, 467  
 Brown, D.M. 337  
 Brown, R.C. 423, 511  
 Burdett, G. 21  
 Burdorf, A. 67<sup>b</sup>  
 Burgess, G.L. 209  
 Burstyn, I. 69
- Castegnaro, M. 259  
 Ceccarelli, F. 81  
 Cenni, A. 267  
 Chadwick, P. 331  
 Chang, C-W. 501  
 Chang, J-Y. 501  
 Chen, C-C. 501  
 Cherrie, J.W. 91, 167, 565<sup>sc</sup>  
 Christensen, V.R. 233  
 Cocker, J. 531  
 Cvacka, J. 259
- Dabill, D.W. 45  
 Davis, J.M.G. 191  
 de Meester, M. 219  
 de Méo, M. 259  
 de Ridder, M. 219  
 de Vreede, J.A.F. 151  
 Delic, J.I. 531  
 Deschamps, F. 33  
 Destombe, K. 325
- Devine, J.M. 357  
 Dieudonne, M. 437  
 Donaldson, K. 287, 337  
 Duggan, M.J. 222<sup>b</sup>, 315  
 Dyne, D. 531
- Ellehauge, A. 191
- Fabriès, J.F. 453  
 Fisher, C.E. 337  
 Fishwick, D. 253  
 Fletcher, A.M. 253  
 Francis, H.C. 253  
 Fubini, B. 521
- Garrod, A.N.I. 159  
 Gerber, J.C. 437  
 Glindmeyer, H. 61<sup>L</sup>  
 Gompertz, D. 286<sup>b</sup>, 347<sup>sc</sup>  
 Görner, P. 453  
 Gregg, N.C. 531  
 Grosjean, R. 219  
 Groves, J. 37, 295  
 Groves, J.A. 45, 201, 489  
 Guest, I. 407  
 Guillemin, M.P. 63<sup>L</sup>  
 Guldberg, M. 191, 233
- Halgard, K. 135  
 Hamilton, L. 347<sup>sc</sup>  
 Harrington, J.M. 227, 347<sup>sc</sup>  
 Hay, A.W.M. 401  
 Hecht, G. 437  
 Heederik, D. 115  
 Heloma, A. 129  
 Hery, M. 437  
 Hewett, P. 413<sup>L</sup>, 420<sup>L</sup>  
 Hewitt, S. 245  
 Hollund, B.E. 277  
 Houba, R. 115  
 Hudspith, B. 401  
 Hughes, D. 221<sup>b</sup>  
 Hwang, J-S. 501
- Johnson, A.E. 511  
 Jones, K. 531  
 Jones, T. 159
- Kähkönen, E. 129  
 Kamstrup, O. 191  
 Kauffer, E. 453  
 Keen, C. 489  
 Kennedy, S.M. 69
- King, E. 225  
 Kochman, S. 33  
 Koenig, A.R. 233  
 Kraak, A. 105  
 Krantz, S. 541  
 Kromhout, H. 115  
 Kupper, L.L. 115, 417<sup>L</sup>, 421<sup>L</sup>
- Laget, M. 259  
 Lambert, B.E. 315  
 Lavaud, F. 33  
 Levy, L.S. 347<sup>sc</sup>  
 Liddell, F.D.K. 7  
 Lidén, C. 541  
 Lidén, G. 541  
 Liu, W.C.V. 549  
 Lowes, F. 331  
 Lundgren, L. 541  
 Lunn, J. 353<sup>b</sup>  
 Lyles, R.H. 417<sup>L</sup>, 421<sup>L</sup>
- McDonald, A.D. 7  
 McDonald, C. 223  
 McDonald, J.C. 3, 7, 147  
 Maidment, S.C. 367, 391  
 Malchaire, J. 121, 145<sup>b</sup>  
 Matteucci, G. 267  
 Maynard, A.D. 303  
 Merler, E. 81  
 Michelon, J. 259  
 Moen, B.E. 277  
 Morgan, W.K.C. 65<sup>L</sup>  
 Murray, E. 73
- Nieboer, E. 325  
 Niven, R.McL. 253  
 Northage, C. 37, 295  
 Noto, H. 135  
 Novelli, M.T. 267
- Ogden, T. 1, 355  
 Ogden, T.L. 571<sup>b</sup>  
 Oldham, L.A. 253  
 Orsi, D. 267  
 Ovrebo, S. 135
- Pagotto, J.G. 325  
 Palmi, S. 267  
 Payne, M. 531  
 Pengelly, I. 37, 295, 489  
 Perander, M. 233  
 Pickering, C.A.C. 253  
 Pickford, G. 146<sup>b</sup>

# Author Index

- Piette, A. 121  
 Possoz, C. 437  
 Prevost, A. 33
- Ramachandran, G. 73  
 Rappaport, S.M. 417<sup>L</sup>, 421<sup>L</sup>  
 Reger, R.B. 65<sup>L</sup>  
 Reijula, K. 129  
 Rickmann, A.M. 67<sup>b</sup>  
 Rimmer, D.A. 159  
 Robertshaw, L. 159  
 Rodriguez Diaz, L.S. 121  
 Rojo, J.M. 97  
 Rothberg, M. 129  
 Russell, R.M. 367
- Sanchez-Monroy, D. 549  
 Sartorelli, P. 267  
 Scobbie, E. 45, 201  
 Sebastian, K. 233  
 Semple, S. 167
- Shaw, D.S. 325  
 Shaw, J. 337  
 Shih, T-S. 501  
 Sim, M. 173  
 Simpson, A. 295  
 Skare, L. 541  
 Sorahan, T. 347<sup>sc</sup>  
 Spear, T.M. 73  
 Stancliffe, J.D. 477  
 Steenwinkel, M-J.S.T. 105  
 Stevenson, H. 151, 285<sup>b</sup>  
 Stewart-Taylor, A.J. 565<sup>sc</sup>  
 Subra, I. 437  
 Suhr, H. 557  
 Svinhufvud, J. 129
- Teschke, K. 69  
 Thorpe, A. 423  
 Tielemans, E. 115  
 Topping, M.D. 357, 367  
 Tornling, G. 541
- van Asten, J.G. 105  
 van Delft, J.H.M. 105  
 van Es, J. 105  
 van Hemmen, J.J. 145<sup>b</sup>, 151, 467  
 Verma, D.K. 325  
 Vigneron, J.C. 453  
 Vincent, J.H. 73
- Warburton, C.J. 253  
 Wardenbach, P. 283<sup>b</sup>  
 Werner, M.A. 73  
 Wheeler, J.P. 477  
 Williams, C.R. 357  
 Wilschut, A. 285<sup>b</sup>  
 Wrobel, R. 453
- Yu, T-S. 501
- Zima, J. 259  
 Zoitos, B. 233

